

EC – Certificate of Conformity

0615 -CPD-M441

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive – CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

ISO-MATA, UNI-PLYTA

Reaction to fire Euroclass A1	Thermal conductivity λ_D 0,036 W/(m·K)	Thickness range 40-150 mm
Product description:	Thermal insulation of glasswool in different dimensions	
Scope of application:	Insulation of roof constructions	
Designation code:	MW - EN13162 - T2 - MU1	
Manufacturer: or its authorised representative marketing the product	Saint-Gobain Isover Polska sp. z.o.o PLANT G ul.Okrezna 16 44-100 Gliwice Poland	
Productions site(s):		

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that BVQI Denmark A/S has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control

This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard **EN13162** were applied and that the product fulfils all the prescribed requirements.

*This certificate was first issued on **20-10-2003** and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.*

The validation of the certificate must be confirmed once a year.

Issued: 20/10/2004



BVQI Denmark A/S, Verifier

Certificate no.: M441

*BVQI Denmark A/S is accredited by
DANAK with above reg. no.*